



ISSUE:
2



NOTES:
1. REMOVE BURRS & BREAK SHARP EDGES.



-2	COMPETITOR	28.75
-1	CORVET	25.25
PART NO.	USED ON	DIM. A

REF:				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BK	12-18-81			1/1
MATERIAL			PROD. APP.	
.750 O.D. X .035 WALL 6061-T6 AL TUBING			DATE	
NAME:			DWG. NO.	
TAIL BOOM -COMPETITOR			GMP 147	




1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES :

TOLERANCE UNLESS OTHERWISE SPECIFIED .XXX = ± .005 .XX = ± .02 ANGLE = ± 1/2°				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BK	12-18-81			2/1
MATERIAL 7/8 DIA ALUMINUM ROD			PROD. APP. DATE	
NAME: STARTING CONE, COMPETITOR			DWG NO. GMP 148	




MATL: HARD RUBBER		
DATE 12-31-81	DRAWN BY BK	APPROVED BY
SCALE 1/1	REVISED	
RUBBER CUP - STARTER EXTENSION		DRAWING NUMBER GMP 149



MATERIAL : STEEL		
DATE 1-29-82	DRAWN BY BK	APPROVED BY
SCALE 2/1	REVISED	
CLUTCH - COMPETITOR		DRAWING NUMBER GMP 154

1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES :




TOLERANCE: .XX = $\pm .01$.XXX = $\pm .005$		
SCALE: 2/1	APPROVED BY:	DRAWN BY SV
DATE: 9-10-87		REVISED
MATERIAL: STEEL, C1018		
CLUTCH-COMPETITOR		DRAWING NUMBER GMP-154

1. REMOVE BURRS & BREAK SHARP EDGES

YOU WILL MAINTAIN

6




HOLES TO BE ON CENTER OF SHAFT WITHIN ±.001 & MUST BE PERPENDICULAR TO SHAFT WITHIN ±.001

183-2	7.91	.895
183-1	8.58	1.470
PART NO.	DIM. A	DIM. B

1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:


TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ±.01 .XXX = ±.005				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BK	4-30-82			1/1
MATERIAL			PROD. APP.	
			DATE	
NAME: MAIN SHAFT - COMPETITOR, 50-60			GMP 183	

ISSUE: 1




1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:

TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ±.01 .XXX = ±.005				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BK	4-30-82			1/1
MATERIAL			PROD. APP.	
			DATE	
NAME: MAIN SHAFT - COMPETITOR 40-45			GMP 184	



1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES :


TOLERANCE UNLESS OTHERWISE SPECIFIED .XXX = ±.005 ANGLE = ± 0° 15'				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BC	6-18-82			2/1
MATERIAL			PROD. APP.	
BRASS			DATE	
NAME: TAPER SPACER - COMPETITOR			GMP 191	



- 3. FINISH : BLACK OXIDE.
- 2. BEND RADII TO BE .015.
- 1. REMOVE BURRS & BREAK SHARP EDGES.


NOTES :

■: TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ± .02 .XXX = ± .005				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BK	11-19-82			1/1
MATERIAL			PROD. APP.	
.034 STEEL			DATE	
NAME: BRACKET - TAIL COMPENSATION, COMPETITOR			GMP 193	




2. FINISH : BLACK ANODIZE.
 1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES:

■: TOLERANCE UNLESS OTHERWISE SPECIFIED : .XX ± .030 .XXX = ± .010				
DRAWN BY	COMPLETED	CHECKED	APPROVED	SCALE
BK	2-11-83			2/1
MATERIAL			PROD. APP.	
.032 ALUMINUM SHEET			DATE	
NAME: TAIL STRUT CLAMP - COMPETITOR			GMP-194	



TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ± .02 .XXX = ± .005		
SCALE: 1/1	APPROVED BY	DRAWN BY BK
DATE: 2-18-83		
MATERIAL: ALUMINUM		
STARTER EXTENSION		DRAWING NUMBER GMP 195


1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:



<p>TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ± .02 .XXX = ± .005</p>		
<p>SCALE: 1/1</p>	<p>APPROVED BY</p>	<p>DRAWN BY BK</p>
<p>DATE: 2-25-83</p>		
<p>MATERIAL: ALUMINUM</p>		
<p>STARTER EXTENSION</p>		<p>DRAWING NUMBER GMP 196</p>

1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES:

ISSUE: 1




-2	6.00
-1	2.60
PART NO.	DIM. 'A'

TOLERANCE UNLESS OTHERWISE SPECIFIED
.XX = ± .03

SCALE: 1/1	APPROVED BY	DRAWN BY BK
DATE: 2-25-83		


MATERIAL:
.750 O.D. X .035 WALL 6061-T6 AL TUBING

TUBE - STARTER EXTENSION	DRAWING NUMBER GMP 197
-----------------------------	---------------------------



TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ± .01 .XXX = ± .005		
SCALE: 4/1	APPROVED BY	DRAWN BY BK
DATE: 5-6-83		
MATERIAL: 7/16 HEX STEEL BAR		
STATIC TRACKING ADJUSTMENT NUT, COMPETITOR		DRAWING NUMBER GMP 199


2. FINISH : BLACK OXIDE.
1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES :



TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ±.02 .XXX = ±.005		
SCALE: 1/1	APPROVED BY:	DRAWN BY BK
DATE: 11-1-83		REVISED
MATERIAL: .060 6061-T6 AL SHEET		
FRONT FRAME - CORVET		DRAWING NUMBER GMP 212

1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:

11-1-83



-2	COMPETITOR	1.32	.640
-1	COBRA	1.05	.350
DASH NO.	USED ON	DIM. A	DIM. B

TOLERANCE UNLESS OTHERWISE SPECIFIED
 .XX = ± .02 .XXX = ± .005 ANGLE = ± 1/2°

SCALE: 1/1 APPROVED BY: DRAWN BY BK



DATE: 11-3-83 REVISED

MATERIAL : 6061-T6 AL BAR

FLYWHEEL DRAWING NUMBER GMP 216


1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES :

155: 1



TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ±.02 .XXX = ±.005		
SCALE: 4/1	APPROVED BY	DRAWN BY BK
DATE: 11-3-83		
MATERIAL: .25 DIA AL ROD		
SPACER - PITCH SHAFT, COMPETITOR		DRAWING NUMBER GMP 217

1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:



TOLERANCE UNLESS OTHERWISE SPECIFIED.
 .XX = ± .02 .XXX = ± .005

SCALE: 1/1

APPROVED BY:

DRAWN BY BK

DATE: 12-9-83

REVISED


MATERIAL:

.078 STEEL SHEET

RADIUS ARM STAY -
 CORVET

DRAWING NUMBER
 GMP 221

2. FINISH: BLACK OXIDE.
 1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES:




TOLERANCE UNLESS OTHERWISE SPECIFIED
 $.XX = \pm .02$ $.XXX = \pm .005$

SCALE: 1/1	APPROVED BY:	DRAWN BY BK
DATE: 1-6-84		REVISED

MATERIAL:
 $.072$ 5052-H32 ALUMINUM SHEET



SERVO MOUNT BRACKET	DRAWING NUMBER GMP 222
---------------------	---------------------------

1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES:




TOLERANCE UNLESS OTHERWISE SPECIFIED		
.XX = ± .02 .XXX = ± .005		
SCALE: 1/1	APPROVED BY:	DRAWN BY BK
DATE: 1-9-84		REVISED
MATERIAL: .072 5052-H32 ALUMINUM SHEET		
FRONT ANGLE		DRAWING NUMBER GMP 223

NOTES:
1. REMOVE BURRS & BREAK SHARP EDGES.



TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ± .02 .XXX = ± .005		
SCALE: 1/1	APPROVED BY:	DRAWN BY: BK
DATE: 4-19-84		REVISED:
MATERIAL:		
40/50 ENGINE MOUNTING BLOCKS		DRAWING NUMBER GMP 226

1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:



TOLERANCE UNLESS OTHERWISE SPECIFIED
 .XX = ± .02 .XXX = ± .005


SCALE: 1/1	APPROVED BY:	DRAWN BY BK
DATE: 4-18-84		REVISED

MATERIAL :
 .312 DIA 6061-T6 ALUMINUM ROD

CROSS BAR -
 40/50 ENGINE MOUNTING BLOCK


DRAWING NUMBER
 GMP 227

NOTES:
 1. REMOVE BURRS & BREAK SHARP EDGES.



TOLERANCE UNLESS OTHERWISE SPECIFIED .XXX = ± .005		
SCALE: 4/1	APPROVED BY:	DRAWN BY BK
DATE: 4-25-84		REVISED
MATERIAL: .250 HEX STEEL BAR		
PIVOT BOLT - SMALL		DRAWING NUMBER GMP 228

2. FINISH: BLACK OXIDE.
1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:




TOLERANCE UNLESS OTHERWISE SPECIFIED
 .XXX = ± .005

SCALE: 4/1	APPROVED BY:	DRAWN BY BK
DATE: 4-25-84		REVISED

MATERIAL:
 .250 HEX STEEL BAR

PIVOT BOLT - MEDIUM	DRAWING NUMBER GMP 229
---------------------	---------------------------


2. FINISH: BLACK OXIDE.
 1. REMOVE BURRS & BREAK SHARP EDGES.
 NOTES:



TOLERANCE UNLESS OTHERWISE SPECIFIED .XXX = ± .005		
SCALE: 4/1	APPROVED BY:	DRAWN BY BK
DATE: 4-26-84		REVISED
MATERIAL: .250 HEX STEEL BAR		
PIVOT BOLT - LARGE		DRAWING NUMBER GMP 230


2. FINISH: BLACK OXIDE.
1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:

ISSUE: 1



TOLERANCE UNLESS OTHERWISE SPECIFIED .XX = ±.02 .XXX = ±.010		
SCALE: 1/1	APPROVED BY:	DRAWN BY BK
DATE: 8-9-84		REVISED
MATERIAL:		
MAIN FRAME ANGLE - COMPETITOR		DRAWING NUMBER GMP 235

1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:



-2	.128 DIA
-1	.159 DIA
PART NO.	DIM. A

TOLERANCE UNLESS OTHERWISE SPECIFIED .XXX = ±.010	
SCALE: 2/1	APPROVED BY:
DATE: 12-5-84	DRAWN BY BK
MATERIAL: 7/16 DIA STEEL ROD	
REVISED	
FLYBAR WEIGHT	DRAWING NUMBER GMP 240

2. FINISH: BLACK OXIDE:
1. REMOVE BURRS & BREAK SHARP EDGES.
NOTES:

300 MM

GMP 219

200 MM

GMP 220

150 MM

GRAIN

